

**IN THE UNITED STATES PATENT AND TRADEMARK OFFICE**

In re Patent Application of	)	Attorney Docket No.: <b>SUGI0166</b>
	)	
Tadahiro OHMI et al.	)	Confirmation No.: 9535
	)	
Serial No.: 10/597,343	)	Group Art Unit: 3753
	)	
Filed: July 20, 2006	)	Examiner: William M. McCallister
	)	
For: METHOD FOR WATER	)	Date: January 22, 2009
HAMMERLESS OPENING OF FLUID	)	
PASSAGE, AND METHOD FOR	)	
SUPPLYING CHEMICAL	)	
SOLUTIONS AND DEVICE FOR	)	
WATER HAMMERLESS OPENING	)	
FOR WHICH THE METHOD IS	)	
USED	)	

**REQUEST FOR CORRECTED OFFICIAL FILING RECEIPT**

**ATTN: Office of Initial Patent Examination's  
Filing Receipt Corrections**

U.S. Patent and Trademark Office  
Customer Service Window  
Randolph Building  
401 Dulany Street  
Alexandria, VA 22314

Sir:

An error was noted upon review of the Official Filing Receipt, and, accordingly it is respectfully requested that a corrected Official Filing Receipt be promptly forwarded to the undersigned attorney for applicant(s). Attached is a marked up filing receipt to show the corrections that are needed.

**In the Applicant(s) section:**

**Please delete "MIyagi" and insert therefore --Miyagi --;**

**In the Assignment section:**

**Please insert therefore --Tadahiro OHMI, Miyagi, JAPAN--**

It is believed that no fee is required with the filing of this paper, however, should the filing of this paper necessitate a fee, the Director is hereby authorized to charge the necessary fee to Deposit Account No. 50-1281.

Respectfully submitted,

*GRIFFIN & SZIPL, P.C.*



---

Joerg-Uwe Szips  
Registration No. 31,799

GRIFFIN & SZIPL, P.C.  
Suite PH-1  
2300 Ninth Street, South  
Arlington, VA 22204

Telephone: (703) 979-5700  
Facsimile: (703) 979-7429  
Email: gands@szipl.com  
Customer No.: 24203